AMENDMENTS TO THE CLAIMS

Cancel claims 14 and 15 without prejudice. Please accept amended claims 1-13 and 16 as follows:

- 1. (Currently Amended) A wireless communication system comprising:
 - a first wireless mobile station; and
- a <u>second</u> wireless <u>base mobile</u> station coupled with the <u>first</u> wireless mobile station through a wireless communication network,

wherein the <u>second</u> wireless <u>base mobile</u> station transmits location information to the <u>first</u> wireless mobile station in response to a request of the <u>first</u> wireless mobile station.

- 2. (Currently Amended) The wireless communication system of claim 1, wherein the <u>second</u> wireless base mobile station comprises a receiver for receiving a satellite signal from a satellite.
- 3. (Currently Amended) The wireless communication system of claim 2, wherein the <u>second</u> wireless <u>base mobile</u> station analyzes the satellite signal in response to the request of the <u>first</u> wireless mobile station, determines the location information and provides the determined location information to the <u>first</u> wireless mobile station.
- 4. (Currently Amended) The wireless communication system of claim 1, wherein the signal transmitted and received between the <u>second</u> wireless <u>base mobile</u> station and the <u>first</u> wireless mobile station satisfies IEEE 802.11 specification, wherein a request for the location information is specified in a frame control of a frame header or a medium access control (MAC) frame body

header of a frame body of a packet transmitted between the first wireless mobile station and the second wireless mobile station.

- 5. (Currently Amended) The wireless communication system of claim 1, wherein the second wireless base mobile station comprises a memory for storing the location information.
- 6. (Currently Amended) The wireless communication system of claim 5, wherein the <u>second</u> wireless <u>base mobile</u> station provides the <u>first</u> wireless mobile station with the location information stored in the memory in response to the request of the <u>first</u> wireless mobile station.
- 7. (Currently Amended) The wireless communication system of claim 1, further comprising: a base station for receiving a satellite signal from a satellite, determining location information according to the received satellite signal, and transmitting the determined location information to the <u>second</u> wireless <u>base mobile</u> station <u>through wire</u>.
- 8. (Currently Amended) The wireless communication system of claim 7, wherein the <u>second</u> wireless <u>base mobile</u> station provides the <u>first</u> wireless mobile station with the location information received from the base station in response to the request of the <u>first</u> wireless mobile station.
- 9. (Currently Amended) A method of determining location information of a <u>first</u> wireless mobile station, wherein the <u>first</u> wireless mobile station is coupled with a <u>second</u> wireless <u>base mobile</u> station through a wireless communication network, the method comprising:

requesting location information from the <u>second</u> wireless <u>base mobile</u> station;

receiving <u>at the first wireless mobile station</u> the location information from the <u>second</u> wireless <u>base mobile</u> station;

estimating a distance between the <u>first</u> wireless mobile station and the <u>second</u> wireless <u>base mobile</u> station; and

determining a location from the received location information and the estimated distance.

- 10. (Currently Amended) The method of claim 9, further comprising receiving a satellite signal from a satellite at a receiver of the <u>second</u> wireless <u>base mobile</u> station.
- 11. (Currently Amended) The method of claim 9, requesting location information comprises:

 determining whether the receiver can access the satellite signal; and
 requesting the second wireless base mobile station to transmit the location information
 upon determining that the receiver cannot access the satellite signal.
- 12. (Currently Amended) The method of claim 10, further comprising:

 requesting the <u>second</u> wireless <u>base mobile</u> station to transmit information; and
 receiving the information from the <u>second</u> wireless <u>base mobile</u> station.
- 13. (Currently Amended) The method of claim 12, wherein the <u>a</u> signal transmitted and received including the information between the <u>second</u> wireless <u>base mobile</u> station and the <u>first</u> wireless mobile station satisfies IEEE 802.11 specification <u>and is used in estimating the distance between</u> the first wireless mobile station and the second wireless mobile station.

14-15. (Cancelled)

and

16. (Currently Amended) A method in which a <u>second</u> wireless <u>base mobile</u> station communicates with a <u>first</u> wireless mobile station through a wireless communication network to provide location information to the <u>first</u> wireless mobile station, the <u>second</u> wireless <u>base mobile</u> station being provided with a memory storing location information, the method comprising:

receiving a location information request from the <u>first</u> wireless mobile station; reading location information stored in the memory <u>of the second wireless mobile station</u>;

transmitting the read location information to the first wireless mobile station.